

# CS/ECE 4457

## Computer Networks: Architecture and Protocols

### Lecture 2 Sharing Networks: “Circuits” and “Packets”

Qizhe Cai



# Announcements

- The **webpage** is up!
  - [qizhecai.com/cs4457-spring26](http://qizhecai.com/cs4457-spring26)
  - Please read everything on the webpage carefully
    - Especially, Admin page
    - All slides, problem sets, readings, etc. will be on the webpage
    - Solutions etc. will be on Piazza
- You should all be now on **Piazza**
  - For those of you, who enrolled recently: give it a day or two
  - If you are unable to access by next week, send us an email:  
[cs4457staffsp26@virginia.edu](mailto:cs4457staffsp26@virginia.edu)
- **Office hours** on the webpage
- I do not expect you to read notes/slides before lecture

# Announcements

- **Communication with staff in 4457**
  - Everything: First check the webpage
  - Everything that is not answered on the webpage: Piazza
  - Time-sensitive: [cs4457staffsp26@virginia.edu](mailto:cs4457staffsp26@virginia.edu)
  - **Do not expect answers if you do not follow the above protocol**
- **Please inform us about any exam conflict before 01/20**
- If you have sent us an email about exam conflict:
  - Please wait until 01/20
  - Once we know everyone's conflicts, we will find solutions.

# Goal of Today's Lecture

- Learn about:
  - Two important performance metrics:
    - Bandwidth
    - Delay, or latency
    - Why are these important?
  - Two ways of sharing networks:
    - Circuit switching
    - Packet switching
  - Why do current computer networks use packet switching?

**But first, Recap from last lecture**


# Recap: what is a computer network?

**A set of network elements connected together, that implement a set of protocols for the purpose of sharing resources at the end hosts**

- **Three important components:**
  - **Core infrastructure:**
    - A set of network elements connected together
  - **Protocols:**
    - Needed to use the network
  - **Purpose:**
    - Sharing resources at the end hosts (computing devices)

# What is a computer network?

A set of network elements connected together, that implement a set of protocols for the purpose of sharing resources at the end hosts



# Recap: what do computer networks do?

**A computer network delivers data between the end points**

- **One and only one task:** Delivering the data
- This delivery is done by:
  - Chopping the data into **packets**
  - Sending individual packets across the network
  - Reconstructing the data at the end points



# Recap: what do computer networks look like?


## Three Basic components

- **End hosts:** they send/receive packets
- **Switches/Routers:** they forward packets
- **Links:** connect end hosts to switches, and switches to each other

**Lets make the picture simpler for today's lecture**


# What is a computer network?

**A set of network elements connected together, that implement a set of protocols for the purpose of sharing resources at the end hosts**




# What is a computer network?

A set of network elements connected together, that implement a set of protocols for the purpose of sharing resources at the end hosts



# A computer network can be abstractly represented as a graph




# Many mechanisms underneath!


- **Locating the destination:** Naming, addressing
- **Finding a path to the destination:** Routing
- **Sending data to the destination:** Forwarding
- **Failures, reliability, etc.:** Distributed routing and congestion control

**Will take the entire course to learn these**

# A computer network can be abstractly represented as a graph



# Today's focus: sharing the network (graph)





# Today's lecture: sharing computer networks

1. What does network sharing mean?
2. What are the performance metrics?
3. What are the various mechanisms for sharing networks?
4. **Why “packets” and “flows”?**
5. **Understanding bandwidth and latency for packets**

**What does network sharing mean?**


# The problem of sharing networks

- Must support many “users” and “applications” at the same time
- Each user/application wants to use the network (send and receive data)
- Limited resources
  - We will learn, over the semester, that network has different resources.
- **Fundamental question:**
  - **How does the network decide which resource to allocate to which user/application at any given point of time?**

**Resources relate to performance.  
What are the performance metrics?**

# Performance metrics in computer networks!

- **Bandwidth:** Number of bits sent per second (bits per second, or bps)
  - Depends on
    - Hardware
    - ....
- **Delay:** Time for all bits to go from source to destination (seconds)
  - Depends on
    - Hardware
    - Distance
    - Traffic from other sources
    - ....
- **Many other performance metrics (reliability, etc.)**
  - We will come back to other metrics later ...



**What are the various mechanisms for sharing networks?**

## **Group Exercise 1:**

**How would you design a sharing mechanism?**

Hint:

Think about sharing any resource (say, a computer)

# Two approaches to sharing networks

- Reservations
- On demand



# Two approaches to sharing networks

- **First: Reservations**

- Reserve bandwidth needed in advance
- Set up circuits and send data over that circuit
- Must reserve for peak bandwidth

- How much bandwidth to reserve?


- Applications may generate data at rate varying over time
- 100MB in first second
- 10MB in second second ...
- Reservations must be made for “peak”

# Circuit switching: Implementing reservations since ...


## Telephone networks

- One of the many approaches to implementing reservations
- **Mechanism:**
  - Source sends a reservation request for peak demand to destination
  - Switches/routers establish a “circuit”
  - Source sends data
  - Source sends a “teardown circuit” message

# Circuit switching: an example (red request fails)



**Circuit switching: another example (red request succeeds)**



# Circuit switching and failures

- Circuit is established
- **Link fails along path (!!!!!!!)**
  - First time we have seen failures making our life complicated.
  - Remember this moment.
  - Its gonna happen, over and over again.
- Must establish new circuit

**Circuit switching doesn't route around failures!!**

# Circuit switching summary

- **Goods:**

- Predictable performance
- Reliable delivery (assuming no failures)
- Simple forwarding mechanism


- **Not-so-goods**

- Resource underutilization
- Blocked connections
- Connection set up overheads
- Per-connection state in switches (scalability problem)

# Two approaches to sharing networks

- **Second: On demand (also known as “best effort”)**
  - **Designed specifically for the Internet**
  - Break data into packets
  - Send packets when you have them
  - Hope for the best ...

# Packet switching: an example






# Packets

- **Packets carry data (are bag of bits):**
  - Header: meaningful to network (and network stack)
    - can be multiple headers
  - Body: meaningful only to application
  - More discussion in next lecture
- **Body can be bits in a file, image, whatever**
  - can have its own application “header”
- **What information goes in the header?**

# What must headers contain to enable network functionality?

- **Packets must describe where it should be sent**
  - Requires an address for the destination host
    - can be multiple headers
- **Packets must describe where its coming from**
  - why?
  - Acknowledgments, etc.
- **Thats the only way a router/switch can know what to do with the packet**

# Packet switching: what does a switch look like



# Packet switching summary

- **Goods:**

- No resource underutilization
  - A source can send more if others don't use resources
- No blocked connection problem
- No per-connection state
- No set-up cost

- **Not-so-goods:**

- Unpredictable bandwidth availability
- Unpredictable delay/latency
- Packet header overhead

# Circuits vs packets

- Pros for circuits:
  - Better application performance (reserved bandwidth)
  - More predictable and understandable (w/o failures)
- Pros for packets:
  - Better resource utilization
  - Easier recovery from failures
  - Faster startup to first packet delivered

# **Summary of network sharing**

# Statistical multiplexing

- **Statistical multiplexing:** combining demands to share resources efficiently
- Long history in computer science
  - Processes on a CPU Core (vs every process has own core)
  - Cloud computing (vs every one has own datacenter)
- Based on the premise that:
  - **Peak of aggregate load is  $\ll$  aggregate of peak load**
- Therefore, it is better to share resources than to strictly partition them ...

# Two approaches to sharing networks

## Both embody statistical multiplexing

- Reservation: sharing at connection level
  - Resources shared between connections currently in system
  - Reserve the peak demand for a flow
- On-demand: sharing at packet level
  - Resources shared between packets currently in system
  - Resources given out on packet-by-packet basis
  - No reservation of resources



# **Understanding delay/latency**

# Packet Delay/Latency

- Consists of four components
  - **Transmission delay** (hardware properties)
  - **Propagation delay** (hardware properties, distance)
  - **Queueing delay** (traffic, switch internals)
  - Processing delay (end hosts)
- First, consider transmission and propagation delays
- Then queueing delay
- Ignore processing delays

# Transmission delay

- How long does it take to push **all the bits of a packet** into a link?
- Packet size / Link Bandwidth
- Example:
  - Packet size = 1500Byte
  - Bandwidth = 100Mbps
  - $1500 * 8 / 100 * 1024 * 1024$  seconds

# Propagation delay

- How long does it take to move **one bit** from one end of a link to the other?
- Link length / Propagation speed of link
  - Propagation speed  $\sim$  some fraction of speed of light
- Example:
  - Length = 30,000 meters
  - Delay =  $30 \times 1000 / 3 \times 100,000,000$  second = 100us

